

AD _____

USAARL REPORT NO. 70-5

MEASUREMENT OF TOXIC HAZARD DUE TO FIRING THE WEAPONS
OF THE UH-1B ARMED HELICOPTER

By

G. L. HODY, MD

Geoscience Limited
410 South Cedros Avenue
Solana Beach, California 92075

August 1969

U. S. ARMY AEROMEDICAL RESEARCH LABORATORY
Fort Rucker, Alabama



90 06 11 194

NOTICE

Qualified requesters may obtain copies from the Defense Documentation Center (DDC), Cameron Station, Alexandria, Virginia. Orders will be expedited if placed through the librarian or other person designated to request documents from DDC (formerly ASTIA).

Change of Address

Organizations receiving reports from the US Army Aeromedical Research Laboratory on automatic mailing lists should confirm correct address when corresponding about laboratory reports.

Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

Distribution Statement

Distribution of this document is unlimited.

Disclaimer

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

AD _____

USAARL REPORT NO. 70-5

MEASUREMENT OF TOXIC HAZARD DUE TO FIRING THE WEAPONS
OF THE UH-1B ARMED HELICOPTER

By

G. L. HODY, MD
Geoscience Limited
410 South Cedros Avenue
Solana Beach, California 92075

August 1969

U. S. ARMY AEROMEDICAL RESEARCH LABORATORY
Fort Rucker, Alabama

U. S. Army Medical Research and Development Command

Distribution Statement. Distribution of the document is unlimited.


FOREWORD

This study is a continuation of work initiated by LTC W. Schane and CPT G. Hody at the U. S. Army Aeromedical Research Unit. The report was written at Geoscience Limited, 410 S. Cedros, Solana Beach, California 92075, under U. S. Army Contract No. DABCOI-69-C-0247.


ABSTRACT

The toxic exhaust products of machine guns and rockets fired from armed helicopters can create a hazard for the crew. A toxic hazard evaluation was carried out with the UH-1B armed helicopter. Special methods were used to measure rapidly changing levels of carbon monoxide in the helicopter during actual flight testing. The exposure to metallic particles was also recorded. No toxic levels of weapons exhaust were present in the cabin during any practical mission profile with the specific weapons tested. These tests are part of a continuing armed helicopter toxic hazard study program at USAARL.

APPROVED:



ROBERT W. BAILEY
COL, MSC
Commanding



THE UH-1B ARMED HELICOPTER

TABLE OF CONTENTS

INTRODUCTION	1
MATERIALS AND METHODS	2
RESULTS	4
CONCLUSIONS	7
REFERENCES	11
APPENDIX	12
DD FORM 1473	

MEASUREMENT OF TOXIC HAZARD DUE TO FIRING THE WEAPONS
OF THE UH-1B ARMED HELICOPTER

INTRODUCTION

The exhaust products of weapons can collect in armed helicopter cabins during rapid or prolonged firing. Exposure of the crew to these highly toxic gases and aerosols is usually very brief but it may be intense. The long term effects on health are rarely of concern because the total dose of inhaled toxic material is small. It is very important, however, to be sure that aircrew performance is not impaired, even briefly. Eye irritation, nausea, and elevated blood carbon monoxide levels have resulted from excessive exposure to exhaust products of weapons^{1,10,11}. The risk of combat missions can be severely increased by these factors; thus, the probability of their occurrence must be investigated.

Evaluation of the toxic hazard can be made from a chemical description of the contaminants present in the exhaust, their concentration, and the duration of exposure. The gases, vapors, and aerosol components of the exhaust from typical Army weapons have been described². However, analysis of such a complex mixture is not presently possible in the aircraft environment. The toxic hazard can be evaluated, however, by a continuous measurement of carbon monoxide concentrations present in the cabin during the flight. The development of the measurement method and the required instrumentation has been discussed in previous reports^{3,4}. The results reported here were obtained in tests performed at Ft. Rucker in 1967. A brief partial report was made at that time⁵. Complete data reduction and documentation has since been performed.

MATERIALS AND METHODS

Continuous Quantitative CO Measurement

A continuous record of the carbon monoxide concentration in the aircraft was obtained with an instrument constructed at USAARL. This carbon monoxide recorder was built by extensive modification of an industrial detector. The changes which were made improved the response time and provided precise reaction chamber temperature control. A self-contained aircraft power supply adapter, air sample pump, and strip chart recorder (2" paper width) were included in the modified unit. The instrument detected carbon monoxide by the heat which was produced when the gas was oxidized over a heated catalyst. The modifications have not been described as yet in the literature but the general approach was documented in a previous report⁴.

Qualitative CO Measurement

Carbon monoxide exposures were also estimated with NBS-type indicator tubes⁶. These tubes require a very stable rate of sample air flow. Consequently, air was drawn through the tubes with an electric pump and the rate of flow was continuously metered. A flow rate of 90 ml/minute was used.

Calibration

The CO recorder was calibrated with premixed as well as dynamically generated mixtures of carbon monoxide in air. Typical exposure times in the aircraft were so brief that even the fast responding CO meter did not have sufficient time to reach correct peak readings. Thus, it was necessary to adjust the magnitude of the recorded carbon monoxide levels for the effect of the short exposure times. This correction was obtained from calibration curves of the transient response

of the instrument (Figure 1). In all cases, the corrections were selected to reveal the highest CO level which might have been present. Each batch of the NBS-type indicator tubes used was calibrated with the same gas mixtures described above. The overall accuracy of the carbon monoxide measurement was within $\pm 20\%$ at concentrations above 50 parts per million (PPM).




FIGURE 1. CARBON MONOXIDE DETECTOR TRANSIENT RESPONSE

Particle Sampling and Analysis

The total quantity of metal particle aerosol which would have been inhaled during a typical busy one-day mission was also estimated. The particles were collected on a #41H Whatman Filter Disc with a small electric sampler which drew air at the rate of 3 liters per minute. The mineral content of the filters was analyzed at a private laboratory* by means of atomic emission spectroscopy.

Probe Locations

The CO recorder sample intake probe was placed over the pilot's shoulder harness; the NBS tube sampler and particle sampler were clipped to the flight suit of a rear-seat occupant during the tests.

Weapons Tested

Several thousand rounds each of M-60 and minigun ammunition, 10 rounds of S-11/M-22 wire-guided missile and 42 pairs of 2.75" FFAR rockets were fired. In the case of the carbon monoxide measurements, the results for each weapon and for a number of flight conditions will be given separately. In the case of the aerosol exposure the sum of all the particles collected during the tests will be reported.

RESULTS

Carbon Monoxide Measurements

The results of the carbon monoxide measurements for the machine guns and the S-11/M-22 wire-guided missile are grouped in summary form in Table 1. The maximum carbon monoxide concentrations reached are given in parts of carbon monoxide per million parts of air (PPM); the percentage composition is obtained by multiplying PPM by 10^{-4} . The product

*Aerojet-General Corporation, Von Karman Center, Azusa, California 91702. Analysis by M. L. Moberg.

WEAPON TESTED	FLIGHT CONDITION	DOOR CONDITION	MAXIMUM CO CONCENTRATION (PPM)	MAXIMUM EXPOSURE TIME (MIN.)	PRODUCT OF CONCENTRATION AND TIME (PPM MIN)
M-60 MACHINE GUN (QUAD)	HOVER	OPEN	< 50	< 0.2	< 10
"	FORWARD FLIGHT	OPEN/CLOSED	NO DETECTABLE LEVELS	(LESS THAN 25 PPM AT ALL TIMES)	
MINIGUN (DUAL)	HOVER	OPEN	< 50	< 0.2	< 10
"	FORWARD FLIGHT	OPEN/CLOSED	NO DETECTABLE LEVELS	(LESS THAN 25 PPM AT ALL TIMES)	
WIRE-GUIDED MISSILE	HOVER AND FORWARD FLIGHT	CLOSED	< 25	< 0.2	< 5

TABLE 1. CARBON MONOXIDE EXPOSURE DURING FIRING OF MACHINE GUNS AND WIRE-GUIDED MISSILES (MAXIMUM LEVELS MEASURED)

of the concentration and the duration of the exposure is also given. This product is a measure of the "dose" of carbon monoxide to which the air crew was exposed. In general, the measurements taken with the NBS indicator tubes paralleled those reported for the continuous recorder, and are not listed separately.

Exposures to carbon monoxide attributable to rocket firing with the 2.75" FFAR are listed in Table 2. The mean air concentration is an average of all results and is reported on the basis of the concentration

	DOORS OPEN	DOORS CLOSED	UNITS
MEAN AIR CONCENTRATION	25	50	PPM/Pair
STANDARD DEVIATION OF ABOVE	11	25	PPM/Pair
MAXIMUM EXPOSURE TIME	0.2	0.1	Minutes
TYPICAL "DOSE" (Concentration-Time Product)	5	5	PPM Min/Pair
TYPICAL EXPOSURE AFTER FIRING SALVO OF 48 PAIR	240	240	PPM Min
48 PAIR EXPOSURE ASSUMING WORST CONCENTRATION AND LONGEST EXPOSURE TIME	5300	2600	PPM Min
PERMISSIBLE EXPOSURE (If Received Within One Minute)	8000		PPM Min

TABLE 2. CARBON MONOXIDE EXPOSURE
ASSOCIATED WITH FIRING OF THE 2.75" FFAR ROCKET

related to the firing of a single rocket pair (the actual firing sequence and raw data are contained in the appendix). The "typical dose" consists of the product of the mean air concentration and the maximum exposure time, again on a per pair basis. Estimates of the dose of carbon monoxide which would have been inhaled for a forty-eight pair rocket salvo were calculated from typical and maximum "per pair" data by multiplying the "per pair" figures by forty-eight. No actual large salvos were fired during the flight tests.

Particle Analysis

The mineral content of the filter paper disc used to collect particles is listed in the appendix. The data are in total milligrams of minerals. These numbers can be converted to realistic dose estimates for human beings in the flight environment. The breathing rate of individuals in a stressful environment is highly variable but typical values of air flow range from 10 to 100 liters per minute⁷. The higher values are rarely sustained for long periods. A mean pulmonary air flow rate of 30 L/MIN was assumed. The majority of particles emitted from the weapons are in the size range retained efficiently by the lungs. Thus, the amount of mineral matter retained by the crew members was assumed to be the same as the amount of mineral matter on the filter paper corrected for the difference between the filter's sampling rate and the assumed breathing air flow rate (a factor of about 10). The corrected data are presented in Table 3.

CONCLUSIONS

The harmful effects of carbon monoxide include impairment of psychomotor skills, vision, and judgment. The severity of the impairment depends mainly upon the concentration of the gas in the respired air, the duration of exposure and the physical activity of the individuals⁸. An element of chance also exists when exposures are intense but brief as they are in the helicopter. In such cases the actual amount of

carbon monoxide inhaled may depend upon the location of the subject's mouth and nose and the relationship of their respiratory rhythm to the exact time-concentration history of the carbon monoxide gas in their environment. For these exposures the best analysis is to examine the worst case.

It is important to establish the maximum exposure to carbon monoxide which will be permitted. Moderate performance impairment can be tolerated in many industrial situations but in aircraft these same effects may be lethal. Suitable limits for armed helicopters were calculated for the Army by the Advisory Center on Toxicology of the National Research Council⁹. The levels were chosen to protect against visual impairment which can occur with carboxy-hemoglobin blood levels in excess of 5%. The levels picked were 8000 PPM MIN if the dose is received in one minute, 10,000 PPM MIN for ten minute exposures and 6000 PPM MIN for 30 minute exposures.

The measured results must be compared to these permissible levels. In the case of the machine guns and the M-11/S-22 missile, exposures recorded were at least one hundred times less than those which were considered permissible. The same was true of the 2.75" FFAR when fired in single pairs and small salvos. The calculated results for a typical firing of 48 pairs of 2.75" FFAR were also well below the exposure limits (a factor of 20 or more less). If the extremely unlikely combination of the highest recorded concentration and longest time were considered, the results would still be acceptable though the dose would be only slightly below the maximum permissible level. In general, the firings in which the doors were open yielded higher concentrations for shorter times so that the doses remained the same. Should the doors be open, larger variations from test to test would be expected due to the influence of random changes in wind and direction of flight.

Of the mineral components detected on the particle filter all were normal components of dust except copper and lead. The copper was present only in trace quantities and constituted no hazard. The permissible dose for lead was calculated from the threshold limit value (TLV) of 0.2 mg/m^3 as follows. The TLV's are industrial standards which assume an eight hour daily exposure. During an eight hour day an individual breathing at an average rate of 20 liters per minute would inhale about 10,000 liters of air or 10 m^3 . If this air contained the TLV of lead, 0.2 mg/m^3 , a total of 2 mg would be inhaled, thus 2 mg per day can be considered an acceptable exposure to lead. In this study, lead exposures (Table 3) were not expected to exceed 0.03 mg. This value clearly provides a large safety margin.

METAL	DOSE (mg/day)
LEAD	0.03
COPPER	0.008
MAGNESIUM	0.02
ALUMINUM	0.02
SILICON	0.03
A breathing rate of 30 liters per minute is assumed for the man.	

TABLE 3. MINERAL AEROSOL INHALATION DURING
VERY ACTIVE ONE DAY ARMED HELICOPTER MISSION

From the above discussion it is clear that the occurrence of a toxic hazard on the UH-1B armed helicopter during the firing of the M-60 quad machine gun, dual minigun, S-11/M-22 wire-guided missile, and 2.75" FFAR rockets is extremely unlikely. However, carbon monoxide and other toxic materials are present in small quantities when the weapons are fired. Crewmembers should avoid exposure to other sources of toxic materials, particularly carbon monoxide. The effects of smoking and those of oxygen deficiency (such as occur at altitude) would be additive to the effects of the carbon monoxide present during the firing of weapons. These remarks apply particularly to the 2.75" FFAR rocket fired in large salvos, in which case the safety margin present with the other weapons may be considerably reduced.

REFERENCES

1. Hody, G. L., and W. P. Schane, "Preliminary Carbon Monoxide Measurements in Armed Helicopters," USAARU Report No. 66-1, March 1966.
2. Scharf, P. B., B. B. Goshgarian, H. M. Nelson, and G. L. Hody, "Measurement of Exhaust Composition of Selected Helicopter Armament (Project WEST)," USAARU Report No. 67-10 and AFRPL-TR-67-203, 1967.
3. Hody, G. L., "Approach to the Evaluation of Toxic Hazards From Weapons Exhaust in Armed Helicopters," USAARU Report No. 67-5, 1966.
4. Hody, G. L., and R. L. Keiser, "Evaluation of Two Vibration Insensitive Catalytic Detectors for Carbon Monoxide," USAARU Report No. 66-2, 1966.
5. Hody, G. L., and P. Swidzinski, "Informal Report of Rocket Firing Experiment in UH-1B," USAARU unpublished letter report, USAARU-EMB, dated 19 July 1967.
6. Shepherd, M., "Rapid Determination of Small Amounts of Carbon Monoxide: Preliminary Report on the NBS Calorimetric Indicating Gel." Analytical Chemistry, 19:77, 1947.
7. Webb, P. editor; Bioastronautics Data Book, Chapt. 15, pp 273-289, NASA Pub. #SP-3006, 1964.
8. Patty, F. A., Industrial Hygiene and Toxicology, New York, Interscience, 1958.
9. Wands, R. C., personal communication.
10. Hody, G. L., "Carbon Monoxide Measurement in the Armed Chinook (CH-47B)." USAARU Letter Report to the U. S. Army Aviation Test Board (unpublished), 11. February 1966.
11. Schane, W. P., "Weapons Exhaust Accumulation on the Tail Ramp of a VCH-47A During Firing of an XM-24 Machine Gun in Flight." USAARU Letter Report (unpublished), November 1966.

APPENDIX - RESULTS OF PARTICLE ANALYSIS



AEROJET-GENERAL CORPORATION

1100 WEST HOLLYVALE STREET, AZUSA, CALIFORNIA 91702 • 334-6211-AREA 213

VON KARMAN CENTER

31 July 1967

Subject: Analysis of Special Filter Sample

To: Commanding Officer
U.S. Army
Aeromedical Research Unit
Box 577
Fort Rucker, Alabama 36360

Attn: Capt. G. L. Hody
Toxicological Branch

The analytical results given below were obtained on the materials found on filter #USAARU 27-JE-67-01 (Whatman 41H filter paper used in an air sampler at a flow rate of 3 liters/min). For trace analysis studies, contaminant contributions from blank filter papers can be significant and these must be carefully determined so that appropriate corrections can be made to the total analytical data. A minimum of 4 blanks were analyzed prior to studying the sample and these results averaged for a blank determination.

The data are quantitative with an expected precision of $\pm 10\%$ of the reported number.

	<u>Total Milligrams Per Filter</u>
Si	0.003 \pm 0.0003
Pb	0.003 \pm 0.0003
Cu	0.0008 \pm 0.00008
Mg	0.002 \pm 0.0002
Al	0.002 \pm 0.0002

M. L. Moberg

M. L. Moberg, Manager
Analytical Laboratories Department
Chemical Products Division
Von Karman Center

# OF ROCKETS FIRED	EXPOSURE TIME (SEC)	CO CONC. (PPM)	"DOSE (CONC. TIME PRODUCT) (PPM MIN/PAIR)		
			(PPM SEC)	(PPM MIN)	(PPM MIN/PAIR)
Single rocket	2	~ 30	~ 60	~ 1	~ 2
1 pair	8	400	3200	54	
1 pair	10	140	1400	23	
1 pair	9	230	2100	35	
2 pair	9	370	3300	55	23
Single rocket	7	90	630	10	20
1 pair	9	230	2100	35	
1 pair	8	181	1460	24	
2 pair	10	185	1850	31	16
2 pair	8	256	2050	34	17
1 pair	7	200	1400	23	
1 pair	6	350	2100	35	
1 pair	6	120	720	12	
1 pair	6	275	1650	28	
2 pair	8	235	1900	32	16
4 pair	8	510	4100	70	18
MEAN DOSE 25 PPM MIN/PAIR STD DEVIATION ± 10.7 PPM MIN/PAIR					
APPENDIX - CARBON MONOXIDE LEVELS DURING 2.75" FFAR ROCKET FIRING (DOORS CLOSED)					

# OF ROCKETS FIRED	EXPOSURE TIME(SEC)	CO CONC. (PPM)	"DOSE" (CONC. TIME PRODUCT) (PPM SEC) (PPM MIN)		(PPM MIN/PAIR)
1 pair	4	1700	6700	110	
1 pair	3	1000	3000	50	
1 pair	3	600	1800	30	
1 pair	3	1500	4500	75	
1 pair	4	770	3100	51	
1 pair	3	500	1500	25	
1 pair	3	375	1250	21	
1 pair	4	600	2400	40	
1 pair	4	580	2350	39	
1 pair	3	580	1750	29	
4 pair salvo	5	1410	7200	120	30
3 single	5	470	2333	39	
1 pair	6	650	3900	65	
1 pair	4	770	3060	52	
1 pair	5	630	3150	53	
1 pair	3	1500	4500	75	
1 pair	2	1800	3600	60	
1 rocket	3	700	2100	35	
MEAN DOSE 50 PPM MIN/PAIR STD DEVIATION ± 23 PPM MIN/PAIR					
APPENDIX - CARBON MONOXIDE LEVELS DURING 2.75" FFAR ROCKET FIRING (DOORS OPEN)					

DISTRIBUTION LIST OF USAARL REPORTS

Project No. 3AO 6211 OA 819 Army Aviation Medicine

No. of
Copies

DEPARTMENT OF DEFENSE

- 20 Defense Documentation Center for Scientific and Technical Information,
Cameron Station, Alexandria, Virginia 22314

U. S. ARMY

- 1 US Army Combat Developments Command, Medical Service Agency,
Fort Sam Houston, Texas 78234
- 1 PP&A Div., G-3, Hq, USACDCEC, ATTN: Plans Officer (Psychologist),
Fort Ord, California 93941
- 1 Second United States Army Medical Laboratory, Fort George G. Meade,
Maryland 20755
- 1 Walter Reed Army Institute of Research, Walter Reed Army Medical Center,
Washington, D. C. 20012
- 1 U. S. Army Infantry School, ATTN: Surgeon's Office, Fort Benning,
Georgia 31905
- 1 Medical Equipment Development Laboratory, Fort 7, Flushing, L. I.,
New York 11359
- 1 US Army Biomechanical Research Laboratory Library, Walter Reed Army
Medical Center, Forest Glen Section, Washington, D. C. 20012
- 1 US Army Medical Research Unit, Kuala Lumpur, Malaysia
- 1 US Army Medical Research Institute of Infectious Diseases, Frederick,
Maryland 21701
- 1 US Army Natick Laboratories, Clothing and Organic Material Division,
ATTN: AMXRE-CCE, Natick, Massachusetts 01760
- 1 US Army Medical Research Laboratory, Fort Knox, Kentucky 40121
- 1 US Army Institute of Surgical Research, Brooke Army Medical Center,
Fort Sam Houston, Texas 78234
- 1 US Army Medical Research & Nutrition Laboratory, Fitzsimons General
Hospital, Denver, Colorado 80240
- 1 US Army Medical Research Unit, Europe, APO New York, N. Y. 09180
- 1 Letterman Army Institute of Research, San Francisco, California 94129
- 1 William Beaumont General Hospital, ATTN: Librarian, El Paso, Texas
79920

No. of
Copies

- 1 Valley Forge General Hospital, ATTN: Librarian, Phoenixville, Pennsylvania 19460
- 1 U. S. Continental Army Command, ATTN: Surgeon, Fort Monroe, Virginia 23351
- 1 First United States Army, ATTN: Surgeon, Fort George G. Meade, Maryland 20755
- 1 First United States Army Medical Laboratory, 90 Church Street, New York, New York 10007
- 1 Second United States Army, ATTN: Surgeon, Fort George G. Meade, Maryland 20755
- 1 Human Engineering Laboratory, ATTN: Aviation Branch, Aberdeen Proving Ground, Maryland 21005
- 1 Third United States Army, ATTN: Surgeon, Fort McPherson, Georgia 30330
- 1 Third United States Army Medical Laboratory, Fort McPherson, Georgia 30330
- 1 Fourth United States Army, ATTN: Surgeon, Fort Sam Houston, Texas 78234
- 1 Fourth United States Army Medical Laboratory, Brooke Army Medical Center, Fort Sam Houston, Texas 78234
- 1 Commanding General, Fifth United States Army, ATTN: Surgeon, Fort Sheridan, Illinois 60037
- 1 Fifth United States Army Medical Laboratory, St. Louis Area Support Center, U. S. Army, 12th and Spruce Streets, St. Louis, Missouri 63102
- 1 Sixth United States Army, ATTN: Surgeon, Presidio of San Francisco, California 94129
- 1 Sixth United States Army Medical Laboratory, Fort Baker, Sausalito, California 94965
- 1 Military District of Washington, U. S. Army, ATTN: Surgeon, Building T-B, Gravelly Point, Washington, D. C. 20315
- 1 Commanding Officer, Medical General Laboratory (406), APO San Francisco, California 96343
- 1 Director of Medical Research, U. S. Army Chemical R&D Laboratories, Edgewood Arsenal, Maryland 21041
- 1 USAAVNS Element Technical Library, Hunter Army Airfield, Georgia 31409
- 1 Commanding Officer, U. S. Army Research Institute of Environmental Medicine, Quartermaster Research and Engineering Center, Natick, Massachusetts 01760
- 1 Director, U. S. Army Institute of Dental Research, Walter Reed Army Medical Center, Washington, D. C. 20012

No. of
Copies

- 1 Letterman General Hospital, ATTN: Librarian, Presidio of San Francisco, California 94129
- 1 Brooke General Hospital, Brooke Army Medical Center, Medical Library, Box 151, Fort Sam Houston, Texas 78234
- 1 Chief, Scientific Analysis Branch, Life Sciences Division, ATTN: Dr. Alan Forbes, ARO, DA, Washington, D. C. 22204
- 5 Life Sciences Division, Office of the Chief of Research and Development, 413B, Washington, D. C. 20310
- 1 Fitzsimons General Hospital, ATTN: Librarian, Denver, Colorado 80240
- 1 Madigan General Hospital, ATTN: Librarian, Tacoma, Washington 98431
- 1 Walter Reed General Hospital, ATTN: Librarian, Walter Reed Army Medical Center, Washington, D. C. 20012
- 1 The Historical Unit, U. S. Army Medical Service, Forest Glen Section, Walter Reed Army Medical Center, Washington, D. C. 20012
- 1 Chief, Research and Development Services, Tripler General Hospital, APO San Francisco 96438
- 1 United States Army, Europe, ATTN: Surgeon, APO New York, N.Y. 09403
- 1 United States Army, Alaska, ATTN: Surgeon, APO Seattle, Washington 98749
- 1 United States Army, Pacific, ATTN: Surgeon, APO San Francisco, California 96558
- 1 Commander, US Army Southern Command, ATTN: Chief Surgeon, APO New York 09834
- 1 Commanding Officer, US Army Environmental Health Agency, Edgewood Arsenal, Maryland 21041
- 1 Commanding General, United States Army, Hawaii, ATTN: Surgeon, APO San Francisco, California 96557
- 1 Commanding General, Eighth United States Army, ATTN: Surgeon, APO San Francisco, California 96301
- 1 Commanding General, 7th Logistical Command, ATTN: Surgeon, APO San Francisco, California 96212
- 1 US Army Medical Research Unit, Box 2011, Balboa Heights, Canal Zone 09827
- 1 Commanding General, I Corps Group, ATTN: Surgeon, APO San Francisco, California 96358
- 1 Commanding General, United States Army, Japan, ATTN: Surgeon, APO San Francisco, California 96343
- 1 Commanding General, United States Army, Ryukyu Islands/IX Corps, ATTN: Surgeon, APO San Francisco, California 96249

No. of
Copies

- 1 Commanding Officer, US Army Concept Team in Vietnam, ATTN: AVIB-AAD/SS, APO San Francisco 96375
- 1 Directorate, Plans, Supply and Operations, Aviation Branch, Office of The Surgeon General, DA, Washington, D. C. 20314
- 1 US Army Behavioral Science Research Laboratory, ATTN: CRDBSRL DOL, Washington, D. C. 20315
- 1 Technical Director of Research, Armed Forces Institute of Pathology, Washington, D. C. 20012
- 1 Director of Research, United States Army Aviation Human Research Unit, Fort Rucker, Alabama 36360
- 1 Commanding Officer, United States Army Board for Aviation Accident Research, Fort Rucker, Alabama 36360
- 1 Commanding Officer, United States Army Combat Developments Command Aviation Agency, Fort Rucker, Alabama 36360
- 1 Commanding Officer, Lyster Army Hospital, Fort Rucker, Alabama 36360
- 2 Commanding Officer, United States Army Aviation Test Board, Fort Rucker, Alabama 36360
- 5 Commanding General, United States Army Aviation Center, Fort Rucker, Alabama 36360
- 4 Commanding Officer, US Army Medical R&D Command, ATTN: MEDDH-RP, Washington, D. C. 20314

U. S. AIR FORCE

- 1 Hq AFSC(SCBB), Directorate of Bioastronautics, Andrews Air Force Base, Washington, D. C. 20331
- 1 Life Support System Program Office, ASD(ASWL), Wright Patterson AFB, Ohio 45433
- 2 Biomedical Program Office, NASA Flight Research Center, Edwards Air Force Base, California 93523
- 1 USAF School of Aerospace Medicine, ATTN: Aeromedical Library (SMSL), Brooks Air Force Base, Texas 78235
- 1 Hq USAF (AFRDDG), Directorate of Science & Technology, Washington, D. C. 20330
- 1 Tech Tng Cen (MSSTL/AFL 3021), Drop 114, Sheppard Air Force Base, Texas 76311
- 1 6570th Aerospace Medical Research Laboratories (MRA), Wright-Patterson Air Force Base, Ohio 45433
- 2 6570th Aerospace Medical Research Laboratories (MRBAA), Wright-Patterson Air Force Base, Ohio 45433

No. of
Copies

U. S. NAVY

- 4 Director, Naval Aerospace Medical Institute, Naval Aerospace Medical Center, Pensacola, Florida 32512
- 1 Naval Medical Research Institute, National Naval Medical Center, Technical Reference Library, Bethesda, Maryland 20014
- 1 US Naval Air Development Center, Aviation Medical Acceleration Laboratory, ATTN: Librarian, Johnsville, Pennsylvania 18974
- 1 Head, Aero-Medical Department, Naval Aviation Safety Center, Naval Air Station, Building SP-50, Norfolk, Virginia 23511
- 1 Navy Department, Aerospace Medical Flight Safety Branch, BuMed 523, Washington, D. C. 20390
- 1 Commander, US Naval Weapons Laboratory, Dahlgren, Virginia 22448
- 2 Bureau of Medicine and Surgery, Director, Research Division, Department of the Navy, Washington, D. C. 20360

U. S. MARINE

- 1 Marine Corps Landing Force Development Center (Air Support Division), Support Systems Branch, Marine Corps Schools, Quantico, Virginia 22134

GOVERNMENTAL AGENCIES

- 2 Biomedical Program Office, NASA Flight Research Center, Edwards AFB, California 93523
- 1 Civil Aeromedical Research Institute, Federal Aviation Agency, P. O. Box 1082, Oklahoma City, Oklahoma 73101
- 1 Library of Congress, Science and Technology Division, ATTN: Dr. A. J. Jacobius, Washington, D. C. 20525
- 1 National Institute of Health, Library, ATTN: Acquisitions Section, Building 10, Room 5N118, Bethesda, Maryland 20014
- 1 National Library of Medicine, ATTN: Acquisition Section, 8600 Wisconsin Avenue, Bethesda, Maryland 20014
- 1 National Research Council, Division of Medical Sciences, Medical Records, 2101 Constitution Avenue, N.W., Washington, D. C. 20525
- 1 Federal Aviation Agency, Aviation Medical Library, MS-111, Washington, D. C. 20525
- 2 Federal Aviation Administration, ATTN: Administrative Standards Division (MS-110), 800 Independence Ave., S.W., Washington, D. C. 20590

No. of
Copies

OTHER AGENCIES

- 1 Guggenheim Center for Aerospace Health and Safety, Harvard School of Public Health, 665 Huntington Avenue, Boston, Massachusetts 02115
- 1 University of Alabama, Medical Center Library, 620 S. 20th Street, Birmingham, Alabama 35233
- 2 George Washington University, Human Resources Research Office, 300 North Washington Street, Alexandria, Virginia 22314

FOREIGN

- 1 British Army Medical Liaison Officer, British Army Staff, British Embassy, Washington, D. C. 20008
- 1 British Navy Staff Office, Army Medical Liaison Officer, ATTN: F. P. Ellis, Surgeon Captain, Royal Navy, Benjamin Franklin Station, P. O. Box 165, Washington, D. C. 20044
- 1 Col A. J. Affleck, Director of Psychology, Army Headquarters, Russell Offices, CANBERRA. ACT 2600. Australia
- 1 Department of Aviation Medicine, Army Aviation Centre, Middle Wallop, Stockbridge, Hants, England
- 1 Defence Research Establishment Toronto, P. O. Box 2000, Downsview, Ontario
- 3 Medical Liaison Officer, Royal Air Force Staff, British Embassy, Washington, D. C. 20008
- 10 Canadian Liaison Officer, Office of The Surgeon General, U. S. Army, ATTN: B. L. P. Brosseau, Room 1709A, Main Navy Building, Washington, D. C. 20315

Unclassified

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Geoscience Limited 410 South Cedros Avenue Solana Beach, California 92075		2a. REPORT SECURITY CLASSIFICATION Unclassified	
		2b. GROUP	
3. REPORT TITLE Measurement of Toxic Hazard Due to Firing the Weapons of the UH-1B Armed Helicopter.			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
5. AUTHOR(S) (First name, middle initial, last name) George L. Hody, M. D.			
6. REPORT DATE August 1969		7a. TOTAL NO. OF PAGES 15	7b. NO. OF REFS 11
8a. CONTRACT OR GRANT NO. DABCDI-69-C-0247		9a. ORIGINATOR'S REPORT NUMBER(S)	
b. PROJECT NO.			
c.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.		USAARL Report No. 70-5.	
10. DISTRIBUTION STATEMENT Distribution of this document is unlimited. Qualified requesters may obtain copies from the Defense Documentation Center (DDC), Cameron Station, Alexandria, Virginia.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY US Army Medical Research and Development Command, Washington, D. C. 20315	
13. ABSTRACT The toxic exhaust products of machine guns and rockets fired from armed helicopters can create a hazard for the crew. A toxic hazard evaluation was carried out with the UH-1B armed helicopter. Special methods were used to measure rapidly changing levels of carbon monoxide in the helicopter during actual flight testing. The exposure to metallic particles was also recorded. No toxic levels of weapons exhaust were present in the cabin during any practical mission profile with the specific weapons tested. These tests are part of a continuing armed helicopter toxic hazard study program at USAARL.			

DD FORM 1473
1 NOV 65

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS OBSOLETE FOR ARMY USE.

Unclassified

Security Classification

Security Classification

14: KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Aircraft						
Atmosphere						
Detecting						
Carbon Monoxide						
Toxic						
Weapon System						
Helicopter						

Security Classification

ARL 70-5	AD	UNCLASSIFIED
<p>U. S. Army Aeromedical Research Laboratory, Fort Rucker, Ala. MEASUREMENT OF TOXIC HAZARD DUE TO FIRING THE WEAPONS OF THE UH-1B ARMED HELICOPTER by G. L. Hody, M. D., 12 pp, 3 tables, 1 figure. DA Project No. 3A0 6211 OA 819 01 Aviation Medicine Research Division.</p> <p>The toxic exhaust products of machine guns and rockets fired from armed helicopters can create a hazard for the crew. A toxic hazard evaluation was carried out with the UH-1B armed helicopter. Special methods were used to measure rapidly changing levels of carbon monoxide in the helicopter during actual flight testing. The exposure to metallic particles was also recorded. No toxic levels of weapons exhaust were present in the cabin during any practical mission profile with the specific weapons tested. These tests are part of a continuing armed helicopter toxic hazard study program at USAARL.</p>		
<ol style="list-style-type: none"> 1. Aircraft 2. Atmospheric 3. Detecting 4. Carbon Monoxide 5. Toxic 6. Weapon System 7. Helicopter 		

ARL 70-5	AD	UNCLASSIFIED
<p>U. S. Army Aeromedical Research Laboratory, Fort Rucker, Ala. MEASUREMENT OF TOXIC HAZARD DUE TO FIRING THE WEAPONS OF THE UH-1B ARMED HELICOPTER by G. L. Hody, M. D., 12 pp, 3 tables, 1 figure. DA Project No. 3A0 6211 OA 819 01 Aviation Medicine Research Division.</p> <p>The toxic exhaust products of machine guns and rockets fired from armed helicopters can create a hazard for the crew. A toxic hazard evaluation was carried out with the UH-1B armed helicopter. Special methods were used to measure rapidly changing levels of carbon monoxide in the helicopter during actual flight testing. The exposure to metallic particles was also recorded. No toxic levels of weapons exhaust were present in the cabin during any practical mission profile with the specific weapons tested. These tests are part of a continuing armed helicopter toxic hazard study program at USAARL.</p>		
<ol style="list-style-type: none"> 1. Aircraft 2. Atmospheric 3. Detecting 4. Carbon Monoxide 5. Toxic 6. Weapon System 7. Helicopter 		

ARL 70-5	AD	UNCLASSIFIED
<p>U. S. Army Aeromedical Research Laboratory, Fort Rucker, Ala. MEASUREMENT OF TOXIC HAZARD DUE TO FIRING THE WEAPONS OF THE UH-1B ARMED HELICOPTER by G. L. Hody, M. D., 12 pp, 3 tables, 1 figure. DA Project No. 3A0 6211 OA 819 01 Aviation Medicine Research Division.</p> <p>The toxic exhaust products of machine guns and rockets fired from armed helicopters can create a hazard for the crew. A toxic hazard evaluation was carried out with the UH-1B armed helicopter. Special methods were used to measure rapidly changing levels of carbon monoxide in the helicopter during actual flight testing. The exposure to metallic particles was also recorded. No toxic levels of weapons exhaust were present in the cabin during any practical mission profile with the specific weapons tested. These tests are part of a continuing armed helicopter toxic hazard study program at USAARL.</p>		
<ol style="list-style-type: none"> 1. Aircraft 2. Atmospheric 3. Detecting 4. Carbon Monoxide 5. Toxic 6. Weapon System 7. Helicopter 		

ARL 70-5	AD	UNCLASSIFIED
<p>U. S. Army Aeromedical Research Laboratory, Fort Rucker, Ala. MEASUREMENT OF TOXIC HAZARD DUE TO FIRING THE WEAPONS OF THE UH-1B ARMED HELICOPTER by G. L. Hody, M. D., 12 pp, 3 tables, 1 figure. DA Project No. 3A0 6211 OA 819 01 Aviation Medicine Research Division.</p> <p>The toxic exhaust products of machine guns and rockets fired from armed helicopters can create a hazard for the crew. A toxic hazard evaluation was carried out with the UH-1B armed helicopter. Special methods were used to measure rapidly changing levels of carbon monoxide in the helicopter during actual flight testing. The exposure to metallic particles was also recorded. No toxic levels of weapons exhaust were present in the cabin during any practical mission profile with the specific weapons tested. These tests are part of a continuing armed helicopter toxic hazard study program at USAARL.</p>		
<ol style="list-style-type: none"> 1. Aircraft 2. Atmospheric 3. Detecting 4. Carbon Monoxide 5. Toxic 6. Weapon System 7. Helicopter 		